

# PsycINFO lathund


2018-10-09

Örebro universitetsbibliotek  
**Medicinska biblioteket**  
[medbibl@oru.se](mailto:medbibl@oru.se)



Sök på ett begrepp i taget.

Skriv in ditt sökord i sökrutan. Se till att du har rutan Suggest Subject Terms ibockad. Då hjälper systemet dig att hitta termer i PsycINFOs thesaurus.



New Search | Thesaurus | Cited References | Citation Matcher | More ▾


Searching: **PsycINFO** | [Choose Databases](#)

Suggest Subject Terms

alcoholism      Select a Field (optional) ▾      **Search**

Klicka på Search

Sidan du nu kommer till är Browsing: PsycINFO – Thesaurus.




**Browsing: PsycINFO -- Thesaurus**

alcoholism      Browse

Term Begins With     Term Contains     Relevancy Ranked

Välj de termer du vill söka på.



Browsing: PsycINFO -- Thesaurus

alcoholism      Browse

Term Begins With     Term Contains     Relevancy Ranked

Page: [Previous](#)    [Next](#) ▶

Select term, then add to search using: [OR](#) ▾ | [Add](#)      [Explosion](#)

(Click term to display details.)

[Alcoholism](#)     

Klicka i Alcoholism; termen blir automatiskt exploderad, dvs underliggande termer söks också. Ibland är det flera sidor med termer, klicka på Next



Page: [Previous](#)    [Next](#) ▶

(Click term to display details.)


[Alcohol Abuse](#)

Klicka på **Add** och välj OR för att få upp termerna i sökrutan

Page: [◀ Previous](#) [Next ▶](#)

Select term, then add to search using:


New Search | Thesaurus | Cited References | Citation Matcher | More ▾

 Searching: **PsycINFO** | [Choose Databases](#)

[Basic Search](#) | [Advanced Search](#) | [Search History](#)

Klicka därefter på **Search**

OR används för synonymer eller utbytbara begrepp. T ex alcoholism **OR** alcohol abuse ger träff på referenser som innehåller någon av termerna.



Searching: **PsycINFO** | [Choose Databases](#)

Suggest Subject Terms

**Browsing: PsycINFO -- Thesaurus**

Term Begins With  Term Contains  Relevancy Ranked

Page: [Previous](#) [Next >](#)

Select term, then add to search using:

(Click term to display details.)

- [Treatment Outcomes](#)  
Outcomes (Treatment) **Use** [Treatment Outcomes](#)
- [Psychotherapeutic Outcomes](#)
- [Pregnancy Outcomes](#)
- [Treatment Effectiveness Evaluation](#)

Välj termer och klicka på **Add**

Searching: **PsycINFO** | [Choose Databases](#)

\"Treatment Effectiveness Evaluation\" OR DE"/>

[Basic Search](#) [Advanced Search](#) [Search History](#)

Klicka på **Search**

Gå till **Search history** för att kombinera sökningarna

Klicka på **Clear** för att få en tom sökruta

Thesaurus Cited References Citation Matcher More ▾


Searching: **PsycINFO** | [Choose Databases](#)

Suggest Subject Terms

st DE "Treatment Outcomes" OR DE "Psychotherape Select a Field (optional) ▾

AND ▾ Select a Field (optional) ▾



**Search**




Clear ? 


Under **Search History** kan du kombinera dina söktermer genom att bocka i rutorna och klicka på **Search with AND**

[Print Search History](#) [Retrieve Searches](#) [Retrieve Alerts](#) [Save Searches / Alerts](#)

Select / deselect all **Search with AND** **Search with OR** **Delete Searches**

Search ID#	Search Terms
<input checked="" type="checkbox"/> S2	 DE "Treatment Outcomes" OR DE "Psychotherapeutic Outcomes" OR DE "Treatment Effectiveness Evaluation" OR DE "Common Factors"
<input checked="" type="checkbox"/> S1	 DE "Alcoholism" OR DE "Alcoholic Psychosis" OR DE "Alcohol Abuse" OR DE "Alcoholism" OR DE "Binge Drinking"



AND används för att kombinera termer, t ex  
alcoholism **AND** therapy

Begränsa sökningen med limits.

1978 Publication Date 2018

Show More

Age

- adulthood (18 yrs & older) (373)
- young adulthood (18-29 yrs) (112)

Begränsa med År genom att flytta på markören

Här har vi begränsat med åren 2011-2018 och åldersgruppen Young adulthood

Search ID# Search Terms Search Options

S5 S1 AND S2

Limiters - Publication Year: 2011-2018

Narrow by SubjectAge: - young adulthood (18-29 yrs)

Search modes - Find all my search terms

1. The impact of alcohol use on drop-out and psychological **treatment outcomes** in improving access to psychological therapies services: An audit. [OPEN ACCESS](#)

Academic Journal



Buckman, J. E. J.; Naismith, I.; Saunders, R.; Morrison, T.; Linke, S.; Leibowitz, J.; Pilling, S.; Behavioural and Cognitive Psychotherapy, Vol 46(5), Sep, 2018 pp. 513-527. Publisher: [Journal Article] Abstract: Background: The impact of alcohol use disorders (AUD) on psychological treatments for depression or anxiety in primary care psychological treatment services. Aims: To establish levels of alcohol misuse in an Improving Access to Psychological Therapies (IAPT) service, examine the impact of higher risk drinking on IAPT **treatment outcomes** and inform good practice in working with alcohol misuse in IAPT services. Method: 3643 patients completed a brief questionnaire on alcohol use pre-treatment in addition to measures of symptom and functioning. Symptom and functioning measures were re-administered at all treatment sessions. Results: Severity of alcohol misuse was not associated with **treatment outcomes**; eight or more on the AUDIT-C were more likely to drop out from treatment. Conclusions: IAPT services may be well placed to offer psychological therapies to patients with comorbid AUD. Patients with AUD can have equivalent **treatment outcomes** to those without AUD, but some higher risk drinkers may find accessing IAPT treatment more difficult. Alcohol misuse on its own should not be used as an exclusion criterion from IAPT services. Recommendations are given as to how clinicians can: adjust their assessments of the appropriateness of IAPT treatment for patients that misuse alcohol, consider the potential impact of alcohol misuse on treatment, and improve engagement in treatment for higher risk drinkers. Database Record (c) 2018 APA, all rights reserved)

**Subjects:** Alcohol Abuse; Anxiety Disorders; Major Depression; Primary Health Care; **Treatment Outcomes**; Adolescence (13-17 yrs); Adulthood (18 yrs & older); **Young Adult** (30-39 yrs); Middle Age (40-64 yrs); Aged (65 yrs & older); Very Old (85 yrs & older); Male; Female

Check the holdings PlumX Metrics

Klicka på *Check the holdings* för att se om vi har tillgång till artikeln

För att göra en lista på referenser du vill spara (antingen för att skriva ut, spara på USB-minne, eller skicka som e-post) får du först spara referenserna till en folder



när du har samlat in alla referenser du vill skriva ut, klickar du på Folder (Den ligger uppe till höger i den blå listen)



e items in the folder for a future session, [Sign In to My EBSCOhost](#).


## Articles

1-7 of 7

Page: 1

Da

Select / deselect all

- 1. [The impact of alcohol use on drop-out and psychological treatment outcomes in improving access to psychol services: An audit.](#) 



Academic

Buckman, J. E. J.; Naismith, I.; Saunders, R.; Morrison, T.; Linke, S.; Leibowitz, J.; Pilling, S.; Behavioural and Cognitive Psychotherapy, Vol 46(5), St Publisher: Cambridge University Press; [Journal Article] Abstract: Background: The impact of alcohol use disorders (AUD) on psychological treatment anxiety in primary care psychological treatment services is unknown. Aims: To establish levels of alcohol misuse in an Improving Access to Psycholog service, examine the impact of higher risk drinking on IAPT treatment outcomes and drop-out, and to inform good practice in working with alcohol mis

Klicka i referenserna och klicka på **Print**

